

**CENTRAL BASIN MUNICIPAL WATER DISTRICT**    **MAY 7, 2007 - Water Resources**  
Vasquez, Montalvo  
**MAY 22, 2007 - Board Meeting**  
Prepared by: Steven Apodaca  
Submitted by: Steven Apodaca  
Approved by: Art Aguilar

## INFORMATION CALENDAR

### RECYCLED WATER CUSTOMER DEVELOPMENT UPDATE

#### SUMMARY:

The following is the monthly update on recycled water customer development at various potential recycled water sites and the status of upcoming potential new connections. The report is listed by District Divisions.

#### **Division I (Director Vasquez)**

Walgreens Pharmacy (4 AFY) - Downey: The City of Downey, like Santa Fe Springs, has applied a mandatory use ordinance for the use of recycled water on irrigation sites on all redevelopment projects when recycled water is available. In late April 2007, District staff was contacted by the developer of the Walgreens Pharmacy project informing us of their intent to submit site plans and schematics to Central Basin and to City staff. Upon receipt, District staff will submit the irrigation schematics to the County of Los Angeles Department of Health (DHS) Cross-Connection for recycled water use approval.

New Church Site - Downey: City of Downey representatives informed Central Basin staff in late April 2007 of the scheduled construction of a church on Lakewood Boulevard adjacent to the Coca-Cola facility. Central Basin staff has requested irrigation site plans for the site. Upon review, staff will submit the plans for DHS approval. Annual recycled water use for the site has not yet been determined.

Alameda Elementary School (13 AFY) and Downey High School (35 AFY) - Downey: Central Basin staff has followed up on two sites in Downey. In early May 2007, staff requested irrigation schematics for the aforementioned sites; however, staff has yet to receive the plans. District staff will continue to pursue the sites and has informed DHS of the two potential sites for connection.

Downey Park (25 AFY) - Downey: Central Basin staff received an update from the City of Downey in late April 2007, stating that construction of the park will begin in mid-May. Central Basin and Downey staff will coordinate the cross connection process with DHS.

#### **Division III (Director Chacon)**

Huntington Park High School (27 AFY): Central Basin staff has continued pursuit of Huntington Park High School with the Los Angeles Unified School District. However, the school district office has not responded to Central Basin staff inquiries as of early May 2007. Staff will continue to pursue the scheduling of a meeting with school representatives.

**Division IV (Director Montalvo)**

Whaley Middle School (19 AFY) and Abbot Elementary School (8 AFY): District staff has contacted school representatives to schedule a meeting to discuss the details of connecting the site's irrigation system in late April and early May 2007. School representatives have yet to respond. However, Central Basin staff will continue to pursue the site and have contacted DHS of the intent to start retrofit proceedings.

**Division V (Director Hawkins)**

Tanner Elementary School (20 AFY): In early May 2007, Central Basin staff contacted City of Paramount School District representatives to raise interest in retrofitting the site for recycled water use. School District representatives are interested in connecting the site. Central Basin staff has requested irrigation site plans for the site and will pursue the scheduling of meetings to further the retrofit process.

FISCAL IMPACTS:

Revenues to Central Basin will increase as new sites are connected to the Recycled Water System.

ENVIRONMENTAL COMPLIANCE:

Central Basin will follow all state rules and regulations regarding the use of recycled water.

COMMITTEE STATUS:

This item was reviewed by the Water Resources Committee on May 7, 2007 and was agendaized to the May 22, 2007 Board meeting as information for discussion.

RECOMMENDED MOTION:

This item is for information only.

LIST OF EXHIBITS:

None.